

ILLINOIS DEPARTMENT OF HUMAN SERVICES
DIVISION OF MENTAL HEALTH

ILLINOIS
MENTAL HEALTH COLLABORATIVE

FOR ACCESS AND CHOICE

Illinois Health Care Claim Companion Guide 837 Professional HIPAA 4010 Version

**Version 1.3
September 18, 2009**

TABLE OF CONTENTS

VERSION CHANGELOG	4
INTRODUCTION	5
PURPOSE	5
Delimiters Supported	5
Maximum Limitations	5
Telecommunication Specifications	6
Compliance Testing Specifications	6
Trading Partner Acceptance Testing Specifications	7
National Provider Identifier Specification	7
Provider Billing Requirements	8
Billing Agent Scenario	8
Provider Service Address Scenario	8
INTERCHANGE CONTROL HEADER SPECIFICATIONS	9
INTERCHANGE CONTROL TRAILER SPECIFICATIONS	11
FUNCTIONAL GROUP HEADER SPECIFICATIONS	12
FUNCTIONAL GROUP TRAILER SPECIFICATIONS	13
837 PROFESSIONAL CLAIM TRANSACTION SPECIFICATIONS	15
Appendix 1A	31
Appendix 1B	31
Appendix 1C	32

Version 1.0 Original Published May 16, 2008
Version 1.1 Published June 30, 2008
Version 1.2 Published August 14, 2008
Version 1.3 Published September 18, 2009

INTRODUCTION

The Illinois Health Care Claims Transaction Companion guide provides the data requirements to be implemented for all electronic claims submissions to the Illinois Mental Health Collaborative for DHS/DMH covered services. This companion guide is to accompany the standard Implementation Guide and is intended to provide additional information that is specific to the data required for claims processing. The standard Implementation Guide provides the complete set of instructions for the EDI HIPAA 4010 version of the 837P.

Note: If researching in the standard Implementation Guide, the terms: “Subscriber”, “Patient”, and “Member” will appear in the Implementation Guide but have been substituted with the term “Consumer” in the Companion Guide.

PURPOSE

The purpose of this document is to provide the information necessary to submit claims/encounters electronically to the Illinois Mental Health Collaborative. The information herein describes specific requirements for processing data within the payer’s system.

Delimiters Supported in Header Segment

A delimiter is a character used to separate two data elements or sub-elements, or to terminate a segment. Delimiters are specified in the interchange header segment, ISA. The ISA segment is a 105 byte fixed length record. The data element separator is byte number 4; the component element separator is byte number 105; and the segment terminator is the byte that immediately follows the component element separator. Once specified in the interchange header, the below delimiters are not to be used in a data element value elsewhere in the transaction.

Description	Default Delimiter
Data element separator	* Asterisk
Sub-element separator	: Colon
Segment Terminator	~ Tilde

The Illinois Mental Health Collaborative will support these default delimiters or any delimiter specified by the trading partner in the ISA/IEA envelope structure.

The Illinois Mental Health Collaborative will validate and accept or reject the entire Interchange Control structure (ISA/IEA envelope).

Maximum Limitations

The 837 transaction is designed to transmit one or more claims for each billing provider. The hierarchy of the looping structure is billing provider, subscriber, patient, claim level, and claim service line level. Each transaction set contains groups of logically related data in units called segments. The number of times a loop or segment may repeat in the transaction set structure is defined in the implementation guide. Some of these limitations are explicit, such as:

- The Claim Information loop (2300) is limited to 100 claims per patient.
- The Service Line loop (2400) is limited to 50 service lines per professional and/or dental claim, and 999 per institutional claim.

However, some limitations are not explicitly defined. The developers of the implementation guide recommend that trading partners limit the size of the transaction (**ST/SE envelope**) to a maximum of **5000 claims per transaction set**.

The **maximum file size is 8MB**. The Interchange Control structure (ISA/IEA envelope) will be treated as one file. Each Interchange Control structure may consist of multiple Functional Groups (GS/GE envelopes). ValueOptions requires that the Interchange Control structure is limited to one type of Functional Group, such as 837 Health Care Claim and that Institutional and Professional functional groups be submitted in separate Interchange Control structures (ISA/IEA envelopes).

Note: If submitting both encounter and claim transactions these too must be sent in separate Interchange Control structures (ISA/IEA envelopes).

Illinois Mental Health Collaborative will validate and accept or reject the entire Interchange Control structure (ISA/IEA envelope).

Telecommunication Specifications

Trading partners wishing to submit electronic Health Care Claims to the Illinois Mental Health Collaborative must obtain a Submitter ID/Password. If you do not have a Submitter ID you may obtain one by completing the Account Request form available on The Illinois Mental Health Collaborative website at <http://www.illinoismentalhealthcollaborative.com/>. The Illinois Mental Health Collaborative can accommodate multiple submission methods for the Health Care Claim transactions. Please refer to the ETS (Electronic Transport System) Electronic Data Exchange Overview document on the Illinois Mental Health Collaborative website at <http://www.illinoismentalhealthcollaborative.com> for further details.

If you have any questions please contact The Illinois Mental Health Collaborative EDI help desk.

E-mail: e-supportservices@valueoptions.com
Telephone: 888-247-9311 (8am – 6pm Eastern, Monday – Friday)
FAX: 866-698-6032

Compliance Testing Specifications

The Workgroup for Electronic Data Interchange (WEDI) and the Strategic National Implementation Process (SNIP) have recommended seven types of HIPAA compliance testing, these are:

1. Integrity Testing – This is testing the basic syntax and integrity of the EDI transmission to include: valid segments, segment order, element attributes, numeric values in numeric data elements, X12 syntax and compliance with X12 rules.
2. Requirement Testing – This is testing for syntax such as repeat counts, qualifiers, codes, elements and segments. Also testing for required or intra-segment situational data elements and non-medical code sets whose values are noted in the guide via a code list or table.
3. Balance Testing – This is testing the transaction for balanced totals, financial balancing of claims or remittance advice and balancing of summary fields.
4. Situational Testing – This is testing of inter-segment situations and validation of situational
5. External Code Set Testing – This is testing of external code sets and tables. This testing not only validates the code value but also verifies that the usage is appropriate for the particular transaction.
6. Product Type or Line of Service Testing – This is testing that the segments and elements required for certain health care services are present and formatted correctly. This type of testing only applies to a trading partner candidate that conducts the specific line of business or product type.
7. Implementation Guide-Specific Trading Partners Testing – This is testing of HIPAA requirements that pertain to specific trading partners such as Medicare, Medicaid and Indian Health. Compliance testing with these payer specific requirements is not required from all trading partners. If the trading partner intends to exchange transactions with one of these special payers, this type of testing is required.

The WEDI/SNP white paper on Transaction Compliance and Certification and other white papers are found at <http://www.wedi.org/snip/public/articles/index.shtml>.

The Illinois Mental Health Collaborative Recommendations:

The Illinois Mental Health Collaborative has obtained certification from Claredi™, the certifying agency selected by Centers for Medicare and Medicaid Services (CMS). There is no need to recertify the software prior to testing with The Illinois Mental Health Collaborative; however, you will still need to submit a test file and contact The Illinois Mental Health Collaborative EDI Helpdesk before submitting production files.

Testing Specifications

To submit a test file you must obtain an ID & Password from the ValueOptions EDI help desk. Please contact them via e-mail at e-supportservices@valueoptions.com or by calling 888-247-9311.

ValueOptions' Electronic Transport System (ETS) will validate the test file. The entire file will either pass (accept) or fail (reject) validation. ETS does not allow partial file submissions. Submitters will be notified via e-mail as to the results of the ETS validation. If your file failed validation, the message will provide explanations for the failure. Any error message you do not understand can be explained thoroughly by a ValueOptions EDI specialist.

Helpful Hint: Create small batches of test claims to ensure that you will not have to re-create too many claims in the event of an error in the file. Once your files are received and verified to be error-free, you may send production files.

After receiving notification that your test batch has passed validation, contact the EDI Help Desk to switch your account into live mode. Provide your submitter ID and the ValueOptions file submission number. EDI services will work with the claim's department to ensure that the file uploads properly and gets all the way through the system.

National Provider Identifier Specifications

The Illinois Mental Health Collaborative requires covered entities to submit electronic claims with the NPI in the appropriate locations. The Illinois Mental Health Collaborative requests that taxonomy codes be included in the appropriate locations. The NPI is a standard provider identifier that replaces the provider numbers previously used in standard electronic transactions. The Illinois Mental Health Collaborative requires that all covered entities report their NPI to the Illinois Mental Health Collaborative prior to submitting electronic transactions containing a NPI. For additional information on how to report your NPI to The Illinois Mental Health Collaborative or to check out Frequently Asked Questions, please visit <http://www.illinoismentalhealthcollaborative.com/providers.htm> or contact our National Provider Line at (800)397-1630, Monday through Friday, 8:00 AM to 6:00 PM (Eastern Time).

All electronic transactions for covered entities should contain the provider NPI, employee identification number and zip code + the 4 digit postal code in the appropriate loops. The NPI should be sent in the NM109, where NM108 equals XX. The Illinois Mental Health Collaborative also requests that the taxonomy code be included on electronic submissions. The taxonomy code should be sent in the PRV03, employee identification number should be sent in the REF02, and the zip code + the 4 digit postal code should be sent in the N403 and N404. If you do not submit taxonomy codes, you must submit appropriate service modifiers that represent the practitioner of service's licensure level.

For all non-healthcare providers where an NPI is not assigned, the claim must contain the FEIN number in the appropriate provider loops within the appropriate REF segment. Additional information on NPI including how to apply for a NPI can be found on the Centers for Medicare and Medicaid Services (CMS) website at: <http://www.cms.hhs.gov/NationalProvdentStand/>

Provider Billing Requirements

The Health Care Claim transaction allows for a large amount of provider data at both the claim level and the service line level. The Illinois Mental Health Collaborative claim adjudication system only utilizes the provider data present at the claim level. Much of the provider data is situational and must be provided if the condition is met

The Billing/Pay-To loop (2000A) is a required loop. At a minimum, the transaction must have a billing provider. The pay-to, or service facility loops are dependent upon what is entered in the billing loop.

- **Billing Provider Name loop (2010AA)** - is a required loop used to identify the original entity that submitted the electronic claim/encounter. The billing provider entity may be a health care provider, a billing service or some other representative of the provider.
- **Pay-To Provider Name loop (2010AB)** - is a situational loop, required if the pay-to provider is a different entity from the billing provider. (Seldom needed)
- **Service Facility Location (2310D on Professional claims)** – is a required loop used to correlate along with 2010AA to identify the provider record. This must be the actual street address of where the services took place.

Depending on the scenario one or more of the previously mentioned loops might be present in the Health Care Claim transaction. Refer to the scenarios below to determine the loops to be included in your transaction.

Billing Agent Scenario:

If the provider agency contracts with a billing agent to perform billing and reconciliation functions, the following information should be provided:

- Billing Provider Name loop (2010AA) – this loop will contain the billing agent information
- Pay-To Provider Name (2010AB) – this loop will contain the provider, provider group, or agency information (**the entity receiving payment for the claim**)

Provider Service Address Scenario: (Professional Claims)

In this scenario the provider is performing the services at a different address than the billing address. In this case the following information should be provided:

- Billing Provider Name loop (2010AA) – this loop will contain the provider group information.
- Service Facility Location loop (2310D) – this loop will be included if services are rendered at a location different from the billing provider address.

Shading Key within this document:

Shading through this document pertains only to The Illinois Mental Health Collaborative proprietary software, ECLW- EDI Claims Link for Windows.

Fields Auto filled
Input data one time at set up of software
Select data from drop down box
Data Optional
Input data as required

INTERCHANGE CONTROL HEADER SPECIFICATIONS

Seg	Data Element	Name	Usage	Comments	Expected Value
HEADER					
ISA		Interchange Control Header	R		

Seg	Data Element	Name	Usage	Comments	Expected Value
	ISA01	Authorization Information Qualifier	R	Valid values: '00' No Authorization Information Present '03' Additional Data Identification '000095	Use '03' Additional Data Identification to indicate that a login ID will be present in ISA02.
	ISA02	Authorization Information	R	Information used for authorization.	Use The Illinois Mental Health Collaborative submitter ID as the login ID. Maximum 10 characters.
	ISA03	Security Information Qualifier	R	Valid values: '00' No Security Information Present '01' Password	Use '01' Password to indicate that a password will be present in ISA04.
	ISA04	Security Information	R	Additional security information identifying the sender.	Use The Illinois Mental Health Collaborative submitter ID password. Maximum 10 characters.
	ISA05	Interchange ID Qualifier	R		Refer to the implementation guide for a list of valid qualifiers.
	ISA06	Interchange Sender ID	R		Refer to the implementation guide specifications.
	ISA07	Interchange ID Qualifier	R		Use 'ZZ' Mutually Defined.
	ISA08	Interchange Receiver ID	R		Use 'FHC &Affiliates'.
	ISA09	Interchange Date	R	Date format YYMMDD.	The date (ISA09) is expected to be no more than seven days before the file is received. Any date that does not meet this criterion may cause the file to be rejected.
	ISA10	Interchange Time	R	Time format HHMM.	Refer to the implementation guide specifications.
	ISA11	Interchange Control Standards Identifier	R	Code to identify the agency responsible for the control standard used by the message. Valid value: 'U' U.S. EDI Community of ASC X12	Use the value specified in the implementation guide.
	ISA12	Interchange Control	R	Valid value:	Use the current standard approved for the ISA/IEA

Seg	Data Element	Name	Usage	Comments	Expected Value
		Version Number		'00401' Draft Standards for Trial Use Approved for Publication by ASC X12 Procedures Review Board through October 1997	envelope. Other standards will not be accepted.
	ISA13	Interchange Control Number	R	The interchange control number in ISA13 must be identical to the associated interchange trailer IEA02.	This value is defined by the sender's system. If the sender does not wish to define a unique identifier zero fill this element.
	ISA14	Acknowledgement Requested	R	This pertains to the TA1 acknowledgement. Valid values: '0' No Acknowledgement Requested '1' Interchange Acknowledgement Requested	Use '0' No Acknowledgement Requested. The Illinois Mental Health Collaborative will not be generating the TA1 Interchange Acknowledgement or the 997 Functional Acknowledgements.
	ISA15	Usage Indicator	R	Valid values: 'P' Production 'T' Test	The Usage Indicator should be set appropriately. The value in this element will be verified against the accounts "test" status in ETS and rejected if they do not match.
	ISA16	Component Element Separator	R	The delimiter must be a unique character not found in any of the data included in the transaction set. This element contains the delimiter that will be used to separate component data elements within a composite data structure. This value must be different from the data element separator and the segment terminator.	The Illinois Mental Health Collaborative will accept any delimiter specified by the sender. The uniqueness of each delimiter will be verified.

INTERCHANGE CONTROL TRAILER SPECIFICATIONS

Seg	Data Element	Name	Usage	Comments	Expected Value
TRAILER					
IEA		Interchange Control Trailer	R		
	IEA01	Number of Included Functional Groups		Count the number of functional groups in the interchange	Multiple functional groups may be sent in one ISA/IEA envelope. This is the count of the GS/GE functional groups included in the interchange structure. Limit the ISA/IEA envelope to one type of functional group i.e. functional identifier code 'HC' Health Care Claim (837). Segregate professional functional groups into separate ISA/IEA envelopes.
	IEA02	Interchange Control Number		The interchange control number in IEA02 must be identical to the associated interchange header value sent in ISA13.	The interchange control number in IEA02 will be compared to the number sent in ISA13. If the numbers do not match the file will be rejected.

FUNCTIONAL GROUP HEADER SPECIFICATIONS

Seg	Data Element	Name	Usage	Comments	Expected Value
HEADER					
GS		Functional Group Header	R		
	GS01	Functional Identifier Code	R	Code identifying a group of application related transaction sets. Valid value: 'HC' Health Care Claim (837)	HC
	GS02	Application Sender's Code	R		The sender defines this value. The Illinois Mental Health Collaborative will not be validating this value.
	GS03	Application Receiver's Code	R		This field will identify how the file is received by The Illinois Mental Health Collaborative. Use 'EDI' for electronic transfer 'MAGMEDIA' for magnetic media such as tape or diskette.
	GS04	Date	R	Date format CCYYMMDD	Refer to the implementation guide for specifics.
	GS05	Time	R	Time format HHMM	Refer to the implementation guide for specifics.
	GS06	Group Control Number	R	The group control number in GS06, must be identical to the associated group trailer GE02.	This value is defined by the sender's system. If The Illinois Mental Health Collaborative eventually implements the 997, this number will be used to identify the functional group being acknowledged.
	GS07	Responsible Agency Code	R	Code identifying the issuer of the standard. Valid value: 'X' Accredited Standards Committee X12	Use the value specified in the implementation guide.
	GS08	Version/Release Industry ID Code	R	Valid value: Professional Addenda Approved for Publication by ASC X12. '004010X098A1'	Use the current standard approved for publication by ASC X12. Other standards will not be accepted.

Seg	Data Element	Name	Usage	Comments	Expected Value
				Institutional Addenda Approved for Publication by ASCX12. '004010X096A1'	

FUNCTIONAL GROUP TRAILER SPECIFICATIONS

Seg	Data Element	Name	Usage	Comments	Expected Value
TRAILER					
GE		Functional Group Trailer	R		
	GE01	Number of Transaction Sets Included	R	Count of the number of transaction sets in the functional group.	Multiple transaction sets may be sent in one GS/GE functional group. Only similar transaction sets may be included in the functional group.
	GE02	Group Control Number	R	The group control number in GE02 must be identical to the associated functional group header value sent in GS06.	The group control number in GE02 will be compared to the number sent in GS06. If the numbers do not match the entire file will be rejected.

Seg	Data Element	Name	Usage	Comments	Expected Value
HEADER					
ST		Transaction Set Header	R		
	ST01	Transaction Set Identifier Code	R	Code uniquely identifying a Transaction Set	837
	ST02	Transaction Set Control Number	R	The Transaction Set Control Numbers in ST02 and SE02 must be identical. This unique number also aids in error resolution research. Submitters could begin sending transactions using the number 0001 in this element and increment from there. The number must be unique within a specific functional group (GS-GE) and interchange (ISA-IEA), but can repeat in other groups and interchanges.	Number

Seg	Data Element	Name	Usage	Comments
TRAILER				
SE		Transaction Set Trailer	R	
	SE01	Number of included segments	R	Number of segments in the transaction set (<i>including ST through SE</i>)
	SE02	Transaction Set Control Number	R	The Transaction Set Control Numbers in ST02 and SE02 must be identical. This unique number also aids in error resolution research. Submitters could begin sending transactions using the number 0001 in this element and increment from there. The number must be unique within a specific functional group (GS-GE) and interchange (ISA-IEA), but can repeat in other groups and interchanges

837 PROFESSIONAL CLAIM TRANSACTION SPECIFICATIONS

837 PROFESSIONAL CLAIM TRANSACTION SPECIFICATIONS

Seg	Data Element	Name	Usage	Comments	Expected Value	ROCS File Name	ROCS File Bytes
HEADER							
BHT		Beginning of Hierarchical Transaction	R				
	BHT01	Hierarchical Structure Code	R		0019		
	BHT02	Transaction Set Purpose Code	R	Valid values: '00' Original '18' Reissue Case where the transmission was interrupted and the receiver requests that the batch be sent again.	Use '00' Original		
	BHT03	Reference Identification	R	This number operates as a batch control number within the business owners operational system	Number		
	BHT04	Date	R	(Identifies the date that the submitter created the file)	CCYYMMDD		
	BHT05	Time	R	identify the time of day that the submitter created the file- Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59),			
	BHT06	Transaction Type Code	R	This element is required,	Use 'CH'		
REF		Transmission Type Identification	R				
	REF01	Reference Identification Qualifier	R		87= functional category		
	REF02	Transmission Type Code	R	The element contains the version number.	Use '004010X098A1' for Production transaction sets. Use ''004010X098DA1' for Test transaction sets.		
LOOP 1000A – SUBMITTER NAME							
NM1		Submitter Name	R				

Seg	Data Element	Name	Usage	Comments	Expected Value	ROCS File Name	ROCS File Bytes
	NM101	Entity Identifier Code	R		41		
	NM102	Entity Type Qualifier	R		1 (Person) or 2 (Non-Person Entity)		
	NM103	Name Last or Organization Name	R		Last Name or Organization Name		
	NM108	Identification Code Qualifier	R	Identification Code Qualifier	46		
	NM109	Submitter Primary Identifier	R	This element contains the Electronic Transaction Identifier Number (ETIN).	Use The Illinois Mental Health Collaborative assigned submitter ID Maximum 10 characters.		
PER		Submitter EDI Contact Information	R				
	PER01	Contact function code	R		IC		
	PER02	Name	R		Submitter Contact Name		
	PER03	Communication number qualifier	R		ED (EDI Access Number, EM (E-mail), FX (Fax), TE (Telephone		
	PER04	Communication Number	R		Communication Number		
Loop 1000B- Receiver Name							
NM1		Receiver Name	R				
	NM101	Entity Identifier Code	R		40		
	NM102	Entity Type Qualifier	R		2 (Non-Person Entity)		
	NM103	Receiver Name	R		Use 'The Illinois Collaborative'		
	NM108	Identification Code Qualifier	R		46		
	NM109	Receiver Primary Identifier	R	This element contains the Electronic Transaction Identifier	Use 'FHC &Affiliates'		
LOOP 2000A – Billing/Pay-to Provider Specialty Information							
HL		Billing/Pay-To Provider Hierarchical Level	R				
	HL01	Hierarchical ID Number	R	HL01 must begin with "1" and be incremented by one each time an HL is used in the transaction. Only numeric values are allowed in HL01.			
	HL03	Hierarchical Level Code	R		20 – Information Source		

Seg	Data Element	Name	Usage	Comments	Expected Value	ROCS File Name	ROCS File Bytes
	HL04	Hierarchical Child Code	R	Additional Subordinate HL Data Segment in This hierarchical Structure.			
PRV		Provider Information	O	This segment is currently optional			
	PRV01	Provider code	O		BI= Billing		
	PRV02	Reference Identification Qualifier	O	Submit the taxonomy of the rendering provider	ZZ=qualifier		
	PRV03	Reference Identification	O	Taxonomy for rendering provider licensure level	10 digit Rendering Provider taxonomy		
LOOP 2010AA – BILLING PROVIDER NAME							
NM1		Billing Provider Name	R				
	NM101	Entity Identifier Code	R		85- Billing Provider		
	NM102	Entity Type Qualifier	R	Agency will use 2	2- Non-Person Entity		
	NM103	Billing/Organizational Name	R		Billing Provider Name (Last) or Organizational Name		
	NM104	Billing Provider First Name	S	Does not apply for agency billing	Billing Provider Name (first)		
	NM105	Billing Provider Middle Name	S	Does not apply for agency billing	Billing Provider Name (Middle)		
	NM106	Billing Provider Name Suffix	S	Does not apply for agency billing	Billing Provider Name(Suffix)		
	NM108	Billing Provider Identification Code Qualifier	R	Agency NPI (National Provider Identification) XX-NPI(National Provider Identification)	Covered entities must send 'XX' as the NPI Qualifier, non-covered entities send qualifier '24'		
	NM109	Billing Provider Identifier	R	Agency NPI number	Covered entities must send the National Provider ID (NPI), a 10 digit number; non covered entities send Tax ID Number (FEIN).		
N3		Billing Provider Address	R				
	N301	Address Information	R		Billing Address Line 1		
	N302	Address Information	S		Billing Address Line 2		
N4		Billing Provider City/State/Zip Code	R				
	N401	City Name	R		City Name		
	N402	State	R		State		

Seg	Data Element	Name	Usage	Comments	Expected Value	ROCS File Name	ROCS File Bytes
	N403	Postal Code	R		Zip Code		
	REF01	Reference Identification Qualifier	R	Billing Providers: EI-Employer's Identification number SY-Social Security Number	Place EI in REF01 if the Provider ID is EIN or place SY in REF01 if Provider ID is SSN	Agency FEIN	9 bytes
	REF02	Reference Identification	R	FEIN	EIN or SSN of the billing provider based on qualifier used in REF01, above		
LOOP 2010AB – PAY-TO PROVIDER NAME							
NM1		Pay to Provider Name	S	Required if Pay To is different than Billing Provider			
	NM101	Entity Identifier Code	R		87= Pay- to Provider		
	NM102	Entity type Qualifier	R		1= Person 2= Non-Person Entity		
	NM103	Last Name or Organizational Name	R		Individual Last name or Organization Name		
	NM104	Name First	S		Pay to First Name		
	NM105	Name Middle	S		Pay to Middle Name		
	NM107	Name Suffix	S	Example Jr., I, II, III	Pay to Suffix		
	NM108	Pay-To-Provider Identification Code Qualifier	R		Covered entities must send 'XX' as the NPI Qualifier, non-covered entities use qualifier '24'		
	NM109	Pay-To Provider Identifier	R	Pay –to –Provider's NPI	Covered entities send the National Provider ID (NPI), a 10 digit number; non covered entities send Tax ID Number.		
N3		Pay- to Address	R				
	N301	Address Information	R		Pay-to Address line 1		
	N302	Address Information	R		Pay-to Address line 2		
N4		Pay-to Provider City/State/Zip code	R				
	N401	City Name	R		City Name		

Seg	Data Element	Name	Usage	Comments	Expected Value	ROCS File Name	ROCS File Bytes
	N402	State	R		State		
	N403	Zip Code	R		Zip Code		
	REF01	Reference Identification Qualifier	R		EI=Employers Identification Number SY=Social Security Number		
	REF02	Reference Identification	R	Pay-to-Provider's FEIN-Employer's Identification number SY-Social Security Number	FEIN or SSN		
LOOP 2000B-CONSUMER INFORMATION							
HL		Consumer Hierarchical Level	R				
	HL01	Hierarchical ID Number	R	Each consumer in the file will have an incremental number	HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction		
	HL02	Hierarchical Parent ID Number					
	HL03	Hierarchical Level Code	R		22- Consumer		
	HL04	Hierarchical Child Code	R	If consumer only use 0 as code	0 – No Subordinate HL		
SBR		Consumer Information	R				
	SBR01	Payer Responsibility Sequence number code	R	If there is other insurance coverage, identify if the Illinois Mental Health Collaborative is the primary, secondary, or tertiary payer.	P (Primary) S (Secondary) T (Tertiary)- 'payer of last resort'		
	SBR02	Individual Relationship Code	R		18 (Self)		

Seg	Data Element	Name	Usage	Comments	Expected Value	ROCS File Name	ROCS File Bytes
	SBR03	Reference Identification (Group or Policy Number)	R		DHS/DMH Program Code	Program Code	3 Bytes
	SBR09	Claim Filing Indicator Code	R		13		
LOOP 2010BA – CONSUMER NAME							
NM1		Consumer Name	R				
	NM101	Entity Identifier Code	R		IL=Consumer		
	NM102	Entity Type Qualifier	R		1= Person		
	NM103	Last Name	R	Name should be shown as it is on enrollment system	Consumer Last Name		
	NM104	First Name	S	Name should be shown as it is on enrollment system	Consumer First Name		
	NM105	Middle Name	S	Name should be shown as it is on enrollment system	Consumer Middle Name		
	NM107	Name Suffix	S	Name should be shown as it is on enrollment system Example Jr., I, II, III;	Consumer Suffix		
	NM108	Identification Code Qualifier	R	. .Valid values: 'MI'-Consumer Identification Number	Use 'MI' Consumer Identification Number (RIN)		
	NM109	Consumer Primary Identifier	S	Consumer Identifier must be present There are very specific circumstances/services where claims can be submitted under pseudo- RIN. See training materials for when a pseudo-RIN may be appropriate.	RIN assigned by HFS	Recipient ID (RIN)	9 Bytes
N3		Address Information	R				
	N301	Address Information 1	R		Address Line 1		
	N302	Address Information 2	R		Address Line 2		
N4		Consumer City/State/Zip Code	S				
	N401	City Name	R		City Name		

Seg	Data Element	Name	Usage	Comments	Expected Value	ROCS File Name	ROCS File Bytes
	N402	State	R		State		
	N403	Postal Code	R		Zip Code		
DMG		Demographic Information	S				
	DMG01	Date Format Qualifier	R		D8= Date		
	DMG02	Consumer Date of Birth	R	Should be shown as it appears in enrollment system Expressed in format CCYYMMDD			
	DMG03	Gender Code	R	F- Female, M- Male, U- Unknown	F, M or U		
LOOP 2010BB – PAYER NAME							
NM1		Payer Name	R				
	NM101	Entity Identifier Code	R		PR		
	NM102	Entity Type Qualifier	R		2 (Non-person identity)		
	NM103	Payer Name	R	Destination payer name	Use 'The Illinois Collaborative'		
	NM108	Identification Code Qualifier	R	Valid values: 'PI' Payer Identification 'XV' HCFA Plan ID (when mandated)	Use 'PI' Payer Identifier' until the National Plan ID is mandated.		
	NM109	Payer Identifier	R	Destination payer identifier	Use 'FHC &Affiliates'		
LOOP 2000C- CONSUMER INFORMATION							
PAT		Consumer Information	R				
	PAT01	Individual Relationship Code	R	The HIPAA standard value descriptions will appear in the software's dropdown box, however for the Illinois Mental Health Collaborative, use the values as shown under "Expected Value" (20, 01, or G8) in this guide. These descriptions are different than as they appear in the dropdown.	20- Consumer 01 - Family G8 -Collateral	Service Recipient Code	1 Byte
LOOP 2300 – CLAIM INFORMATION							
CLM		Claim Information	R				
	CLM01	Claim Submitter's Identifier	R	This field is for your individual client ID and your claim DCN you can concatenate both numbers in this field. Individual Client Claim ID –xxxxxxx xxxxxxxxx Maximum 38 characters. If you wish to use <i>either</i> a client ID or DCN (rather than both) use a zero '0' to indicate no information but be sure to include the pipe () between the identifiers.	Individual Client Claim ID xxxxxx xxxxxx If no client ID 0 xxxxxxx If no DCN used Xxxxx 0	Client ID Billing Document Control Number	9 Bytes 17 Bytes

Seg	Data Element	Name	Usage	Comments	Expected Value	ROCS File Name	ROCS File Bytes
	CLM02	Monetary Amt	R		Total Submitted Charges	Charge Amount	7 Bytes
	CLM05	Health Care Service Location Information	R				
	CLM05-1	Facility Code Value	R	Use standard place of service codes	Place of Service	Location Description/Location Code	17 Bytes 1 Bytes
	CLM05-3	Claim Frequency Type Code	R		1=original 6=Corrected 7=Replacement 8=Void	Record Action	1 Bytes
	CLM06	Yes/No condition or Response Code	R	Provider signature on file-Medicare	Y=Yes N=No		
	CLM07	Provider accepts assignment Code	R	Provider accepts assignment for Medicare	A- Assigned B-Assignment accepted on Clinical Lab services only C- Not Assigned P- Patient refuses to Assign Benefits		
	CLM08	Yes/No condition or Response Code	R	Assignment of Benefits for this claim payment	Y=Yes N=No		
	CLM09	Release of Information	R	Consumer signature on file to release information	See Appendix 1A		
	CLM10	Consumer Signature Source Code	S		See Appendix 1D		
PWK		Claim Supplemental Information	S				
	PWK02	Attachment Transmission Code	R	Valid values: 'AA' Available on Request at Provider Site 'BM' By Mail 'EL' Electronic Only 'EM' E-mail 'FX' By FAX	Use 'AA' Available on Request at Provider Site		
AMT		Consumer Paid Amount	S	If consumer paid any portion to provider			
	AMT01	Amount Qualifier Code	R		F5= Consumer Paid Amount		
	AMT02	Monetary Amount			Consumer Paid Amount		

Seg	Data Element	Name	Usage	Comments	Expected Value	ROCS File Name	ROCS File Bytes	
REF		Original Reference Number (ICN/DCN)	S	For requested adjustment				
	REF01	Reference Identification Qualifier	R		F8- Original Reference Number			
	REF02	Reference Identification	R	Use Claim number from Original Claim	If this is a correction to a previously submitted claim use The Illinois Mental Health Collaborative claim number prefixed by an 'RC'.	Service Document Control Number	17 Bytes	
NTE		Claim Note						
	NTE01	Note Reference Code	R		ADD- Additional Information			
	NTE02	Description	R	The qualifications level for staff person #1 identified by ID number, using the codes: '01 = Licensed practitioner of the healing arts (LPHA) '02 = QMHP '03 = MHP '04 = RSA 1 Instance of staff level is required. Up to 6 instances are allowed i.e. 01 04 02 03 03 03	xx xx xx xx xx xx			
HI		Health Care Diagnosis Code	R					
	HI101-1	Code List Qualifier Code	R		BK - Principal Diagnosis			
	HI101-2	Industry Code	R	Use ICD-9 standard Dx Code		Diagnosis Code	5 Bytes	
	HI102-1	Code List Qualifier Code	S		BF - Diagnosis			
	HI102-2	Industry Code	S	Use ICD-9 standard Dx Code		Diagnosis Code	5 Bytes	
	HI103-1	Code List Qualifier Code	S		BF - Diagnosis			
	HI103-2	Industry Code	S	Use ICD-9 standard Dx Code		Diagnosis Code	5 Bytes	
	HI104-1	Code List Qualifier Code	S		BF - Diagnosis			
	HI104-2	Industry Code	S	Use ICD-9 standard Dx Code		Diagnosis Code	5 Bytes	
LOOP 2310C- PURCHASED SERVICE PROVIDER								
NM1		Purchased Service	S	This segment is required whenever a subcontractor				

Seg	Data Element	Name	Usage	Comments	Expected Value	ROCS File Name	ROCS File Bytes
		Provider Name		is used			
	NM101	Entity Provider Code	R		QB= Purchase Service Provider		
	NM102	Entity Type Qualifier	R		1- Non-person Entity		
	NM103	Last Name or Organization Name	R		Name		
	NM104	First name of provider	R		Name		
	NM108	Identification Code Qualifier	R	Qualifier XX	Qualifier xx-		
	NM109	Identification Code	R	Atypical providers may enter 9999999999	The subcontractor's NPI		
REF		Purchased Service Provider Secondary Identification	R				
	REF01	Reference Identification Qualifier`	R	Qualifier EI	Qualifier EI		
	REF02	Reference Identification	R	Purchased Service Providers Secondary Identifier- FEIN		Contractor FEIN	9 Bytes
LOOP 2310D- SERVICE FACILITY LOCATION							
NM1		Individual or Organizational Name	S	If a subcontractor is used, this loop should be blank.			
	NM101	Entity Identifier Code	R		77= Service Location FA= Facility Location	Site Number- will be derived by Service Location	17 Bytes
	NM102	Entity Type Qualifier	R		2= non-person entity		
	NM103	Last Name or Organization Name	R		Last Name or Organization Name		
	NM108	Identification Code Qualifier	R		Covered entities must send 'XX' as the NPI Qualifier, non-covered entities use qualifier '24'		
	NM109	Identification Code	R		Covered entities send the National Provider ID (NPI), a 10 digit number; non covered entities send Tax ID Number.		

Seg	Data Element	Name	Usage	Comments	Expected Value	ROCS File Name	ROCS File Bytes
N3		Address Information	R				
	N301	Address Line 1	R		Address Line 1		
	N302	Address Line 2	R		Address Line 2		
N4		Consumer City/State/Zip Code					
	N401	City Name	R		City Name		
	N402	State	R		State		
	N403	Postal Code	R		Zip Code		
LOOP 2320 – COORDINATION OF BENEFITS (COB) OTHER PAYER INFORMATION							
SBR		Subscriber Information	S				
	SBR01	Payer responsibility	R	This loop is for OTHER PAYER ONLY, Do not use this loop if you have not submitted this claim previously to another payer.	P (Primary) S (Secondary) T (Tertiary)		
	SBR02	Individual Relationship Code	R	See Implementation Guide for other values	18 = Self		
	SBR03	Reference Identification	S		Group or Policy Number		
	SBR04	Name	S	Free-form name	Other Insured Group Name		
	SBR05	Insurance Type Code	R	See Implementation Guide for valid values			
	SBR06	Not Used					
	SBR07	Not Used					
	SBR08	Not Used					
	SBR09	Claim Filing Indicator		See Implementation Guide for valid values			
AMT		COB Payer Paid Amount	R				
	AMT01	Amount Qualifier	R		D		
	AMT02	Monetary Amount	R		Amount Paid by the Other Payer		
AMT		COB Allowed Amount	R				
	AMT01	Amount Qualifier	R		B6		
	AMT02	Monetary Amount	R		Amount Paid by the Other Payer		
AMT		COB Patient Paid Amount	R				
	AMT01	Amount Qualifier	R		F5		

Seg	Data Element	Name	Usage	Comments	Expected Value	ROCS File Name	ROCS File Bytes
	AMT02	Monetary Amount	R		Amount Paid by the Other Payer		
DMG		Subscriber Demographic	R				
	DMG01	Format Qualifier	R		D8		
	DMG02	Date of Birth	R	Format YYYYMMDD			
	DMG03	Gender	R		M, F, U		
OI		Other Insurance Coverage Information	R				
	OI03	Benefits Assignment	R		Y		
	OI04	Patient Signature Source	S	See Implementation Guide for valid values			
	OI06	Release of Information Code	R	See Implementation Guide for valid values			
LOOP 2330A – SUBSCRIBER INFORMATION							
NM1			S	Required if Loop 2320 is present			
	NM101	Entity ID	R	Insured or Subscriber	IL		
	NM102	Entity Type	R		1 = Person		
	NM103	Last Name	R				
	NM104	First Name	S				
	NM105	Middle Name	S				
	NM107	Suffix	S				
	NM108	Identification Code	R		MI = Member Identification Number		
	NM109	Identification Number					
N3		Address					
N4		City*State*ZIP					
LOOP 2330B – PAYER INFORMATION							
NM1		Other Payer Name	R				
	NM101	Entity Identifier	R		PR = Payer		
	NM102	Entity Type	R		2 = Non-Person Entity		
	NM103	Organization Name	R	Name of Payer (Other Insurance Company)			
	NM108	ID Code Qualifier	R		PI = Payer Identification		
	NM109	Identification Code	R	Payer ID			
DTP		Claim Adjudication Date	R				

Seg	Data Element	Name	Usage	Comments	Expected Value	ROCS File Name	ROCS File Bytes
	DTP01	Date/Time Qualifier	R	Date Claim Paid	573		
	DTP02	Format Qualifier	R		D8		
	DTP03	Adjudication Date	R	YYYYMMDD			
LOOP 2400 – SERVICE LINE							
LX		Assigned Number	R		The Service Line LX segment begins with 1 and is incremented by one for each additional service line of a claim. The LX functions as a line counter		
	LX01				The service line incremented by 1 for each service line		
SV1		Professional Service	R				
	SV101	Composite Medical Procedure Identifier	R				
	SV101-1	Product/Service ID Qualifier	R	Standard procedure codes qualifier	Use 'HC'		
	SV101-2	Product/Service ID	R	For Section E services (see reimbursement guide) – use code S9986. If S9986 is used you must add the appropriate W-code in the note segment NTE – Line Notes.	Standard procedure code	HCPCS Code Activity Codes	
	SV101-3 SV101-4 SV101-5 SV101-6	Procedure Modifier	S	There are a maximum of 4 modifiers- Last modifier in the sequence must be the modifier for licensure level of provider rendering service. ** Please submit separate claims if more than one licensure is billed.	Standard Modifier	Modifiers	2 Bytes
	SV102	Monetary Amount	R		Service Charge Amount	Net Charge Amount Agency Net Charge Amt	7 Bytes 7 Bytes
	SV103	Unit or Basis for Measurement Code	R		UN-Unit qualifier		
	SV104	Quantity	S	Submit all units for any one service code performed on the same day on the same claim.	Use whole number unit values.		
	SV105	Facility Code Value	R	Place of Service	Place of service codes		
	SV107-1	Diagnosis Code Pointer	S	Use this pointer for the first diagnosis (Primary			

Seg	Data Element	Name	Usage	Comments	Expected Value	ROCS File Name	ROCS File Bytes
				diagnosis for this service line)			
DTP		Date – Service Date	R				
	DTP01	DATE/Time Qualifier	R	Dates of service	472		
	DTP02	Date Time Period Format Qualifier	R	Qualifier for format	Use D8 for one date of service. Use 'RD8' to specify a range of dates. The from and through service dates should be sent for each service line.		
	DTP3	Date Time Period		Service date or range of service dates. If billing for a date range, be sure units agree with date span.	ccyymmdd If date range ccyymmdd - ccyymmdd	Date of Service	8 Bytes
REF		Line Control Number	S				
	REF01	Reference Identification Qualifier	R		6R= Provider Control Number		
	REF02	Reference Identification Number	R	Add this Segment as the Control number for each Line of the claim 30 bytes	Line Item Control Number		
NTE		Line Note	S				
	NTE01	Note Reference code	R		ADD- Additional Information		
	NTE02	Description	R	This field is used for various data needs. Please be sure to include the pipe () between the identifiers. Activity code – Illinois defined activity code When using service code S9986 enter the W – code. (Section E Services) Delivery Method- Face to Face, Telephone, or Video or not applicable	S WXXXX M F, T, V or N	Activity Code	5 Bytes 2 Bytes

Appendix 1A-Release of Information Code

- A- Appropriate Release of Information on file at Health Care Service Provider or at Utilization Review Organization
- I- Informed Consent to Release Medical Information for Conditions or Diagnosis's regulated by Federal Statutes
- M- The Provider has Limited or Restricted Ability to Release Data Related to a Claim
- N- No, Provider is not Allowed to Release Data
- O- On file at Payor or Plan Sponsor
- Y- Yes, Provider has a signed Statement Permitting Release of Medical Billing Data Related to a Claim

Appendix 1B- Patient Signature Source Code

- B- Signed Signature authorization form or forms for both HCFA-1500 Claim Form block 12 and block 13 are on file
- C- Signed HCFA-1500 Claim Form on file
- M- Signed signature authorization form for HCFA-1500 Claim Form block 13 on file
- P- Signature generated by provider because the patient was not physically present for services
- S- Signed signature authorization form for HCFA-1500 Claim Form block 12 on file

Appendix 1C- Insurance Type Code

- AP- Auto Insurance Policy
- C1- Commercial
- CP- Medicare Conditional Primary
- GP- Group Policy
- HM- Health Maintenance Organization (HMO)

IP- Individual Policy
LD- Long Term Policy
LT- Litigation
MB-Medicare Part B
MC- Medicaid
MI-Medigap Part B
MP- Medicare Primary
OT- Other
PP- Personal Payment (Cash- No Insurance)
SP- Supplemental Policy